



1/14




FIG. 1.



2/14




FIG. 2.



3/14




FIG. 3.





FIG. 4.



4/14




FIG. 5.




FIG. 6.

O I P E J C 8  
FEB 06 2004  
PATENT & TRADEMARK OFFICE

5/14




FIG. 7.



6/14




FIG. 8.



7/14




FIG. 9.

O  
FEB 06 2004  
PATENT & TRADEMARK OFFICE

8/14






FIG. 10.



9/14



O I P E JC85  
FEB 06 2004  
PATENT & TRADEMARK OFFICE

10/14







FIG. 12.

O I P E JC88  
FEB 06 2004  
PATENT & TRADEMARK OFFICE

II/14



1)  $\text{CH}_3\text{NH}_2$ , METHANOL  
2)  $\text{NaBH}_4$ , ISOPROPANOL



1)  $\text{K}_2\text{CO}_3$ ,  $\text{CH}_3\text{CN}$   
2)  $\text{CH}_3\text{CN}/\text{H}_2\text{O}$  (4:1, v/v)




FIG. 13.



12/14




FIG. 14A.




FIG. 14B.




FIG. 14C.



13/14




FIG. 15.

O  
FEB 06 2004  
PATENT & TRADEMARK OFFICE

14/14




FIG. 16.